

Firmware: Web-IO Digital 12xIn, 12xOut, 1xRS232 Model 57631

57631(M) (for model with 2MB memory recognizable by the existing firmware starting from v3.xx / Feb 2011) Current firmware

Date Changes and comments Revision April 8, 2024 • HTTP - Chunked transfer adapted to current browsers 3.83 **ZIP** download Older firmware Date Changes and comments Revision April 14, 2022 • iCal - format change in Google Calendar updated 3.80 on request August 5, 2020 · Network handling revised 3.77 on request To load this firmware, WuTility must be used in the newest version included! February 6, Network buffer management revised 3.69 2018 · Time Switch - Cyclical appointment processing optimized on request To load this firmware, WuTility must be used in the newest version included! February 3, · Firmware with SSL support in client modes 3.62 2017 • Time Switch: Optimized reloading of ics files on request To load this firmware, WuTility must be used in the newest version included! October 7, Firmware with SSL support in client modes 3.61 2016 Memory management revised on request To load this firmware, WuTility must be used in the newest version included! May 5, 2015 · Firmware with SSL support in client modes 3.50 · Time Switch: Error handling when ics-files not present optimized on request To load this firmware, WuTility must be used in the newest version included! February 25, · Firmware with SSL support in client modes 3.48 2015 · Login behavior optimized on request Timer function only after free licensing Download of online calendars via HTTPS revised · Internal memory management newly structured To load this firmware, WuTility must be used in the newest version included! · Firmware with SSL support in client modes May 5, 2014 3.47 · Sending of SSL encrypted e-mails possible on request Online calendars can be opened via HTTPS UDP network buffer administration optimized · Community string for SNMP traps configurable To load this firmware, WuTility must be used in the newest version included!

Date	Changes and comments	Revision
August 7, 2013	 Socket interface: Processing of the "allout" command improved Time-Switch: Processing of comma-delimited arguments optimized Time-Switch: Blanks in front of the calendar URL are now ignored SNMP: Setting of Enable flags expanded Synchronization between telnet and web page access improved System parameters can now be set only from the web page 	3.44 on request
May 5, 2011	 Alarm messages to local host possible at startup To load this firmware, WuTility must be used in the newest version included! 	3.28 on request
April 12, 2011	 Optimizing of firmware upload in noisy environments TCP alarm messages on local host possible UDP alarm messages on local host possible Outputs pulse mode: Output can be reset before pulse time expires To load this firmware, WuTility must be used in the newest version included!	3.27 on request
February 15, 2011	 Firmware for expanded hardware platform Time switch using iCal added Modbus support added To load this firmware, WuTility must be used in the newest version included! 	3.25 on request

57631 (for model with 1MB memory recognizable by the existing firmware up to v2.xx / Feb 2011) Current firmware

Date	Changes and comments	Revision
February 6, 2018	 Network buffer management revised To load this firmware, WuTility must be used in the newest version included! 	2.33 ZIP download

Older firmware

Date	Changes and comments	Revision
August 7, 2013	 Socket interface: Processing of the "allout" command improved SNMP: Setting of Enable flags expanded Synchronization between telnet and web page access improved 	2.30 on request
	 System parameters can now be set only from the web page To load this firmware, WuTility must be used in the newest version included! 	
June 11, 2013	 Smart page: Up-/Download ability added SNMP: Setting of the alarm triggers optimized To load this firmware, WuTility must be used in the newest version included! 	2.29 on request
August 10, 2011	 Send behavior for UDP alarms after link interruption improved Basic initializing on bootup optimized To load this firmware, WuTility must be used in the newest version included! 	2.28 on request
April 6, 2011	 Optimizing of firmware upload in noisy environments To load this firmware, WuTility must be used in the newest version included! 	2.27 on request
October 13, 2010	 Boot-up behavior optimized To load this firmware, WuTility must be used in the newest version included! 	2.26 on request

Date	Changes and comments	Revision
September 7, 2010	Access to configuration download for Com-Server Config enabled To load this firmware, WuTility must be used in the newest version included!	2.25 on request
August 19, 2010	 Box-to-Box - address management for NAT routing adjusted Login for binary access revised To load this firmware, WuTility must be used in the newest version included! 	2.24 on request
February 5, 2010	 Update procedure changed UDP - network buffer expanded UDP - remote port can be set as desired Negative logic for outputs configurable State=TOGGLE introduced for socket command outputacces DHCP: Device Name = DHCP Name To load this firmware, WuTility must be used in the newest version included!	2.23 on request



We are available to you in person:

Wiesemann & Theis GmbH Porschestr. 12 42279 Wuppertal Phone: +49 202/2680-110 (Mon.-Fri. 8 a.m. to 5 p.m.) Fax: +49 202/2680-265 info@wut.de

© Wiesemann & Theis GmbH, subject to mistakes and changes: Since we can make mistakes, none of our statements should be applied without verification. Please let us know of any errors or misunderstandings you find so that we can become aware of and eliminate them.

Data Privacy