


Application example for the Web-IO Digital

Control Web-IO Digital using a smartphone

[Product overview](#)
[Application overview](#)

Getting started with the smart home using iPhone etc. for remote control




Smart phones are carried by nearly everyone today. In addition to the original idea of being able to phone from everywhere, they provide a means of connecting to the Internet. The iPhone in particular has acquired almost cult status. Together with the Wieseman & Theis [Web-IO Digital](#) boxes, smart phones like the iPhone can be used as remote control for home and building technology.

Ad hoc access on the smart phone

All Web-IO models offer smart phone users a web page customized for the phone display size.


The smart phone page is based on JavaScript and AJAX and communicates continuously with the Web-IO. This means when correspondingly configured you can directly access the in- and outputs. Whenever a state change is detected on the inputs, outputs or counters, the web page is automatically refreshed. Of course the web pages prepared by Wiesemann & Theis can be adapted to your own needs by making slight changes. The smart page offers the following functions:

- Dynamic display of the inputs
- Dynamic display of the outputs
- Operation and display of the outputs
- IO names configured in the Web-IO are copied over
- Password protected access
- No apps required



Preparations

- [Provide power to the Web-IO and connect the IOs](#)
- [Connect the Web-IO to the network](#)
- [Assign IP addresses](#)
- On the Web-IO in *Communication channels* >> *Web-API* activate *Allow HTTP-Request* and enable outputs for switching



Once these steps are completed the Web page can be displayed in the smart phone.
The page is opened as follows: <http://<ip-adresse>/smart>

The first time the smart page is opened it requires a password. The password can be stored on the smart phone so that the login procedure can be skipped.

Communications channels

Mobile phones like the iPhone can open the connection to the Internet either over the public cell phone network (UMTS/GPRS) or via a WLAN connection or hotspot. Both the access speed and any fees vary considerably.

If you want the Web page to be opened on the smart phone for a longer period of time, bear in mind any resulting fees for accessing the cell network.

Products




Web-IO 4.0 Digital
2xIn, 2xOut

Power via PoE also when needed



Web-IO 4.0 Digital
12xIn, 12xOut

12x inputs,
12x outputs



Other Web-IOs

All W&T Web-IO Digital 24V



www.WuT.de

We are available to you in person:

Wiesemann & Theis
GmbH
Porschestra. 12
42279 Wuppertal
Phone: +49 202/2680-110 (Mon.-Fri. 8 a.m. to 5
p.m.)
Fax: +49 202/2680-265
info@wut.de

© Wiesemann & Theis GmbH, subject to mistakes and changes: Since we can make mistakes, none of our statements should be applied without verification. Please let us know of any errors or misunderstandings you find so that we can become aware of and eliminate them.

[Data Privacy](#)